

Class Rule Changes

International Nacra15 Class Association

Effective date: 2025 December 16



Amendment One

C.3.1 MANDATORY

Old:

C.3.1(a) For use:

- (ii) Each crew member shall wear a helmet that shall be to the minimum standard EN1385, EN1077, EN 966, ASTM 2020, Snell S98 or equivalent. When Flag T is flown by the Race Committee Rule C 3.1 (ii) is suspended.

Amend to read:

- C.3.1 (a)(ii) Each crew member shall wear a helmet that shall be to the minimum standard EN1385, EN1077, EN 966, ASTM 2020, Snell S98 or equivalent **with a brightly coloured region of at least 300 square centimetres of the exterior surface that can be seen from above the water with crew lying face down or face up.** When Flag T is flown by the Race Committee Rule C 3.1 (ii) is suspended **or except briefly while changing or adjusting clothing or personal equipment between races.**

Amendment Two

C.3.1 MANDATORY

Old:

C.3.1(a) For use:

- (iii) Each crew member shall carry a safety knife with a blade length of no more than 150 mm that shall be covered.

Amend to read:

- C.3.1 (a) (iii) Each crew member shall carry **a knife with a covered blade of a maximum length of 150 mm.**

Amendment Three

C.3.1 MANDATORY

C.3.1(a) For use:

Old:

- (v) The maximum weight permitted of the trapeze harnesses shall be 2.4kg. This changes RRS 50.1 (b).

Amend to read:

- (v) The maximum weight permitted of the trapeze **crew harnesses** shall be 2.4kg. This changes RRS 50.1 (b).

Class Rule Changes

International Nacra15 Class Association

Effective date: 2025 December 16



Amendment Four

C.7.3 REPAIR

Old:

Repairs for the hull require approval as described in C.6.3, except filling and blending of small voids (chips and gouges) of 20mm x 20mm which may be carried without approval

Amend to read:

C.7.3 **Repairs** for the **hull** require approval as described in C.6.3, except filling and **fairing** of small voids (chips and gouges) of 20mm x 20mm which may be carried without approval.

Amendment Five

C.10.1 MODIFICATION

Old:

(h) A fitting may be replaced with a fitting of a similar size and design.

Amend to read:

(h) **Fittings** may be replaced with **fittings** of a similar size and design.

Amendment Six

C.10.2 MAINTENANCE

Old:

(a) Maintenance to the rigging is permitted

Amend to read:

C.10.2 (a) **Maintenance** to the **rig** is permitted.

Amendment Seven

C.10.4 FITTINGS

Amend to add:

C.10.4(a)(iv) **Mechanical wind indicators may be used**

Amendment Eight

C.11.3 MAINSAIL

Old:

(b) IDENTIFICATION

Sail numbers shall be any of the following:

Amend to read


C.11.3 (b) IDENTIFICATION

The national letters and numbers shall comply with the RRS Appendix G except where specified otherwise in the diagram below.

Class Rule Changes

International Nacra15 Class Association

Effective date: 2025 December 16



In the International Nacra 15 Class World Championship and Continental Championships, the sail numbers shall be:

Amendment Nine

C.11.3 MAINSAIL

Amend to add:

- C.11.3 (b) (iv) For black mainsails, the national letters and the sail numbers shall be white and applied according to the dimensions as defined in C.11.3(b) immediately under batten number 4.

Class Rule Changes

International Nacra15 Class Association

Effective date: 2025 December 16



Amendment Ten

C.11.3 MAINSAIL

(d) NATIONAL FLAGS

Amend to add:

(iv) The country flag shall have a width of 1300mm and height of 900mm

Amendment Eleven

E.2.1 MODIFICATIONS

Old:

(a) Starboard and Port NSLM supplied **daggerboards** may be Mk1, Mk2 or a combination.

Amend to read

E.2.1 (a) Starboard and Port NSLM supplied **daggerboards** may be Mk1, Mk2, Mk3 or a combination.